

# Technical Data Series

## Tech 403 Sound (STC) Assemblies



**The MPI Group, LLC**

319 North Hills Road, Corbin, Kentucky 40701

[www.metalproductsinc.com](http://www.metalproductsinc.com)

606-523-0461

[support@metalproductsinc.com](mailto:support@metalproductsinc.com)

# Technical Data

## Sound (STC) Assemblies

# Tech 403

## DHSI Seal Set #D4

**Standards** **ASTM E90-2009** Standard Test Method for Laboratory Measurement of Airborne Sound Transmission Loss of Building Partitions

**Standards** **ASTM E413-2010** Classification for Rating Sound Insulation

**Standards** **ASTM E1332-10a** Standard Classification for Rating Outdoor-Indoor Sound Attenuation


**Seal Package**  
**DHSI CS** Cap Sweep  
**DHSI CNS MAX** "Cush 'N' Seal" MAX Frame Seal  
**DHSI DP** Decibel Plug

*\*DHSI = Door and Hardware Systems, Inc.*


**STC 41** 18 Gauge (0.042 min) Special Construction Steel Stiffened Core Door




### DHSI CNS MAX Perimeter Seal



### DHSI Cap Sweep



### DH



Testing and data collection by Intertek Testing Services